# STAPHYLOCOCCUS AUREUS (STAPH INFECTION)

BY: NAIQUAN COLLINS AND OSHWANY ARMSTRONG



### HIDEOUTS



- THE STAPHYLOCOCCUS AUREUS OR STAPH INFECTION CAN BE FOUND IN
- MEATS
- POULTRY AND EGG PRODUCTS
- SALADS LIKE EGG, TUNA, CHICKEN, POTATO, AND MACARONI
- SANDWICH FILLINGS AS WELL

#### **CRIMES**



- SOME SYMPTOMS OF THIS ILLNESS ARE NAUSEA, VOMITING, RETCHING, STOMACH CRAMPING, DIARRHEA
- THEY APPEAR WHEN YOU FEELING POSSIBLE CHANGES IN BLOOD PRESSURE, AND PULSE RATE
- THEY CAN LAST FROM 2 TO 3 DAYS OR AN ENTIRE WEEK.

#### **PREVENTION**

- SHOP SAFELY
- PREPARE FOOD SAFELY. WASH YOUR HAND
- STORE AND SERVE FOODS SAFELY
- WHEN IN DOUBT THROW IT OUT



## SOURCES

- CLIP ART
- <u>HTTP://WWW.MAYOCLINIC.ORG/DISEASES-CONDITIONS/STAPH-INFECTIONS/BASICS/DEFINITION/CON-20031418</u>
- HTTP://WWW.MEDICINENET.COM/STAPH\_INFECTION/ARTICLE.HTM

