



2220 Beltline Road SW
Decatur, AL 35601
256.350.0846
www.pacenational.com

October 15, 2018

Darrin Miller
Enersolv Corporation
2220 Beltline Road SW
Decatur, AL 35601

Chilton - Chilton Alternative

We appreciate the opportunity to provide our services to you on this project. Please find attached the data for the sample(s) listed below:

Pace National-Decatur is accredited to ISO/IEC 17025:2005 by Laboratory Accreditation Bureau and to the TNI 2003 Standard by the Florida Department of Health. Our quality system also meets relevant quality system requirements of ISO 9001:2008. Not all tests performed by *Pace National - Decatur* are covered by these accreditations. Tests within our scope of accreditation are indicated by an asterisk (*) in the Test Result section of this report. Tests not included in the accreditations are performed in accordance with *ENERSOLV* Standard Operating Procedures and the quality control program using, where applicable, USEPA methodology.

This cover page and the attached chain-of-custody record(s) are integral parts of your report. *Pace National-Decatur* considers this report your official record. This information shall remain in *Pace National-Decatur's* active database for a period of one (1) calendar year before archiving. Any replacement of this information after archiving may result in an administrative fee to cover the cost of retrieval.

If you have any questions or would like more information regarding these analyses, please call us at (256) 350-0846.

A handwritten signature in cursive script that reads "Karen Sutton".

Karen Sutton
Project Manager



ANALYTICAL REPORT

October 12, 2018

Pace - Decatur Lab

Sample Delivery Group: L1033603
Samples Received: 10/10/2018
Project Number: 1813141
Description: Chilton Co Alternative (Retest)
Site: ALT-1
Report To: ESC Decatur
2220 Beltline Road SW
Decatur, AL 35601

Entire Report Reviewed By:

A handwritten signature in blue ink that reads "Kelly Mercer".

Kelly Mercer
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
1813141-01 L1033603-01	5	
1813141-02 L1033603-02	6	
Gl: Glossary of Terms	7	
Al: Accreditations & Locations	8	
Sc: Sample Chain of Custody	9	

SAMPLE SUMMARY



1813141-01 L1033603-01 DW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICPMS) by Method 200.8	WG1179193	1	10/11/18 13:57	10/11/18 20:42	LD

Collected by
Collected date/time
Received date/time

¹Cp

²Tc

³Ss

1813141-02 L1033603-02 DW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICPMS) by Method 200.8	WG1179193	1	10/11/18 13:57	10/11/18 20:46	LD

Collected by
Collected date/time
Received date/time

⁴Cn

⁵Sr

⁶Gl

⁷Al

⁸Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Kelly Mercer
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Gl
- ⁷ Al
- ⁸ Sc



Metals (ICPMS) by Method 200.8

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Lead	0.00226		0.00100	1	10/11/2018 20:42	WG1179193

- ¹Cp
- ²Tc
- ³Ss
- ⁴Cn
- ⁵Sr
- ⁶Gl
- ⁷Al
- ⁸Sc



Metals (ICPMS) by Method 200.8

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Lead	0.00499		0.00100	1	10/11/2018 20:46	WG1179193

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Gl

⁷ Al

⁸ Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

RDL	Reported Detection Limit.
SDG	Sample Delivery Group.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Gl
- 7 A
- 8 Sc

Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA

Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Gl

7 Al

8 Sc



1067

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD
 2220 BELTLINE ROAD SW DECATUR, ALABAMA 35601
 (256) 350-0846

www.enersolv.com

L1033603

CLIENT NAME: Chilton County Schools	CLIENT CONTACT NAME: R. McWhorter	ENE Project # 14063
CLIENT BILLING ADDRESS: ENERSOLV	CLIENT CONTACT PHONE #: 256-566-9220	
SCHOOL NAME: Chilton Co Alternative School (Retest)	BILLING CLIENT EMAIL: rmcwhorter@enersolv.com	

Sample Type: Grab

Container : Plastic WM/250ml

Preservation: Nitric Acid < 2.0 s.u./lce

Lab ID Number <small>Lab Use Only</small>	Sample Identification Number & Location	Analyses		Source Taken Out of Service		Sample Collection	Sample Collection	Sample Collector
		Lead Pb	Copper Cu	Date	Time	Date	Time	Name
	ALT-1	X		10/4/18	1800	10-5-18	4:55 AM	<i>[Signature]</i>
	ALT-2	X		10/4/18	1800	10-5-18	4:50 AM	<i>[Signature]</i>

For Lab Use Only: Sample Status

Accepted Rejected Accepted w/Exceptions

Relinquished By: *[Signature]*
 Received By: *[Signature]*
 Relinquished By: *[Signature]*
 Received By: *[Signature]*


Date: 10-5-18 Time: 11:15
 Date: 10/8/18 Time: 1530
 Date: 10-9-18 Time: 0730 & 1500
 Date: 10/10/18 Time: 845

SAMPLE TEMPERATURE RECEIVED @ _____

Methods for the Determination of Metals in Environmental Samples—Supplement 1," EPA/600/R-94/111, May 1994. Available at NTIS, PB95-125472.

RAD SCREEN: <0.5 mR/hr 2.5 ^h/_h 2.0 tot = 2. BR

**Pace Analytical National Center for Testing & Innovation
Cooler Receipt Form**

Client:	SDG#	L1033603	
Cooler Received/Opened On: 10/10 /18	Temperature:	7.5	
Received By: Kelsey Stephenson			
Signature: 			
Receipt Check List			
	NP	Yes	No
COC Seal Present / Intact?	/	/	
COC Signed / Accurate?		/	
Bottles arrive intact?		/	
Correct bottles used?		/	
Sufficient volume sent?		/	
If Applicable			
VOA Zero headspace?			
Preservation Correct / Checked?		/	

TD

