
EnviroScience Consultants Inc.

Environmental Services • Asbestos Collection & Testing • Consultation

Mr. Thomas Psomas
Manager of Environmental Services
New Milford Public Schools
50 East Street
New Milford, CT 06776

November 30, 1990

RE: Designated Person for Asbestos Program
EnviroScience Consultants Project #90-0234 PC2

Dear Mr. Psomas:


Enclosed is the report generated from the asbestos reinspections carried out on October 30, 1990. The necessary forms are filled out for each school. The Superintendent of Schools must fill out and sign the ED-076 form pertaining to each school. This is the form with the space provided at the bottom for the Superintendent's signature.

Regarding the state memo dated September 25, 1990, the memo was probably sent because the state had not yet begun to review the Asbestos Management Plans for the New Milford Public School System. They become fairly backed-up with paperwork to review, and they continue to send out notices for "outstanding" school systems even though the paperwork may be in their building. If you have proof of AMP submittal, no further action is necessary. If you do not have proof, the management plans should be resent.

With regard to your question about verification that newly damaged ACBM found by the designated person was indeed repaired, there are work order forms at the end of the Asbestos Management Plans for each school. The necessary forms should be completed and filed. There should be a permanent file on hand at each school documenting all updates and revisions for the State to review, if necessary.


I hope this has answered all of your questions. Should you have any other problems regarding this matter, please do not hesitate to contact us.

Sincerely,



Joseph Vetrano
Environmental Consultant

Reviewed by:



Daniel Brack, IHIT, CHCM
Director of Technical Services

66 Cedar Street, Newington, Connecticut 06111

203-666-7167 FAX 203-665-1548

EnviroScience Consultants Inc.

Environmental Services • Asbestos Collection & Testing • Consultation

On October 30, 1990, EnviroScience Consultants performed routine asbestos inspections for the New Milford School System under the Designated Person Periodic Surveillance program as described in the AHERA regulations. The inspections were conducted in order to update the condition of known asbestos containing building materials (ACBM) noted on the most recent asbestos management plans and identify areas where corrective measures may be required. The March, 1990, New Milford Asbestos Management Plans were referenced during the October 30th inspections.

The following buildings were inspected: the New Milford Schools Maintenance Building, the Lillis Administration Building, the Hill and Plain, Northville, and Pettibone Elementary Schools, the Schaghticoke Middle School, and New Milford High School. The inspection involved the visual reassessment of any ACBM or assumed ACBM listed in the Asbestos Management Plan (AMP) for each school. The date of the inspection as well as the location of the area was noted along with the change in the condition of the ACBM (if any). The reinspection forms are included with this report.

The schools in which the condition of ACBM or assumed ACBM differed since the last inspection were the High School, the Pettibone Elementary School, and the Hill and Plain Elementary School.

In the High School, five square feet of asbestos-containing pipe elbow insulation was found on the dirt floor at the entrance to the west pipe tunnel. This debris should be wetted and removed with accompanying HEPA vacuuming of the surrounding area. No other change in ACBM or assumed ACBM was found in the New Milford High School.

In the Pettibone School, less than three square feet of asbestos pipe insulation debris was found on the floor of the basement hall under the kitchen. This material should be wetted and removed and the surrounding area HEPA-vacuumed. No other change in ACBM or assumed ACBM was found in the Pettibone School.

The Hill and Plain Elementary School contains two areas in which corrective measures should be applied. The first area involves the pipe tunnel behind boiler number two. ACM debris was noted on the floor approximately seventy-five feet into this tunnel. There was approximately 25 square feet of this material. The debris should be removed and surrounding area HEPA-vacuumed. The second area noted was on the building exterior. Several of the asbestos containing transite soffits are becoming detached from the eaves on the right of the main school entrance. These should be carefully reattached. No other change in ACBM or assumed ACBM was found in the Hill and Plain Elementary School.

66 Cedar Street, Newington, Connecticut 06111

203-666-7167 FAX 203-665-1548

Page 2

During the reinspection procedure, several items in the March 1990 Management Plans were found to need further clarification. One such item involved the classification of the ACM pipe insulation in the basement hall under the kitchen of the Pettibone School. The quantity of the asbestos on the pipes in the basement hall, some 600 linear feet of it, was included in the March, 1990, AMP as part of the total material in the 1955 pipe tunnel wing - approximately 2680 linear feet of material. This shall be revised. The basement hall under the kitchen will be given its own area designation on the management plan update. On the March, 1990, AMP, the basement area was considered homogeneous with the pipe tunnels since they were on the same elevation.


Another item involved the two air handling rooms located on the roof of the New Milford High School. None of the previous asbestos management plans on record mentioned the air handling rooms. The room containing the AC1 / AC2 air conditioning units contained 21 ACM insulated pipe fittings on fiberglass insulated plumbing. One fitting on AC unit 1 was damaged and is in poor condition. All other fittings in the room are in fair condition. Also present in room AC1 / AC2 are approximately 30 sf of assumed asbestos containing canvas vibration isolators. This material is in fair condition. The other air handling room, containing Heating/Ventilation units 1-6, contains approximately 40 ACM fittings on fiberglass insulated plumbing. All fittings are in fair condition. This room also contains approximately 50 sf of vibration isolator material, which is in fair condition.

PERIODIC SURVEILLANCE REPORT

BUILDING NAME AND LOCATION: Schaghticoke Middle School

NAME AND TITLE OF PERSON COMPLETING REPORT: Joseph Vetrano Environmental Consultant

SURVEILLANCE DATE	LOCATION OF ACEM OR SUSPECTED ACEM AREAS	AREA IDENTIFICATION IN THE MANAGEMENT PLAN	DESCRIPTION OF ACEM OR SUSPECTED ACEM AREAS	DESCRIPTION OF CHANGES IN THE CONDITION OF THE MATERIALS
10-29-90	Boiler Room	A(1)	HWT/Flue Breaching	NONE
"	MECH Rm - off Computer Rm	A(2)	Fittings	None
"	MECH Rm. @ G-Cluster	A(2)	F.G. Fittings	—
"	MECH ROOM @ E-Cluster	A(2)	Fittings	None
"	Bldg Ext.	C(2)	Transite Soffits	None
10-29-90	Throughout	C(3)	VAT (Floor Tile)	NONE

SIGNATURE OF PERSON COMPLETING REPORT: 

STATE OF CONNECTICUT
Department of Education
BUREAU OF GRANTS PROCESSING
SCHOOL FACILITIES UNIT
P.O. BOX 2219, Hartford, CT 06145

Section 10-292a-7, Regulations
of Connecticut State Agencies
Rev. 10/89

COMMUNITY NAME NEW MILFORD, CT	FACILITY NAME AND ADDRESS Schaghticoke Middle School	DATE OF AMP UPDATE 10-30-90
-----------------------------------	---	--------------------------------

General Instructions

Provide the name of the school district where the facility is located as well as the name and address of the facility. Also indicate the date on which the AMP Update is submitted.

In an area containing more than one type of ACM, a separate Schedule A must be provided for each material. Please number the pages of each Schedule A being submitted in the upper right hand corner.

- Asbestos Containing Area: BOILER ROOM
- Type of ACM: Sprayed-on Troweled-on Boiler Lagging
Pipe Insulation Duct Breeching Tank
Other (specify) _____
- ACM Previously Identified ACM Newly Identified Basis S A
- Amount of ACM: 390 sq. ft.
- Friability: High Moderate Low Non-friable
- Condition:
Water Damage High Moderate Low None
Physical Damage High Moderate Low None
Additional Comments (provide description) No. Changes

- Abatement/Remediation Method (Response Action)
Removal Enclosure Encapsulation
Operation and Maintenance Only

8. Date for Implementation _____

9. Rationale for Abatement/Remediation Method (Response Action) selected:

REFER TO MARCH 1990 AMP

STATE OF CONNECTICUT
Department of Education
BUREAU OF GRANTS PROCESSING
SCHOOL FACILITIES UNIT
P.O. BOX 2219, Hartford, CT 06145

TOWN/REGION NAME New Milford, CT.	FACILITY NAME AND ADDRESS Schaghticoke Middle School.	DATE OF AMP UPDATE 10-30-90
--------------------------------------	--	--------------------------------

General Instructions

Provide the name of the school district where the facility is located as well as the name and address of the facility. Also indicate the date on which the AMP Update is submitted.

In an area containing more than one type of ACM, a separate Schedule A must be provided for each material. Please number the pages of each Schedule A being submitted in the upper right hand corner.

1. Asbestos Containing Area: Mechanical Air Handler Rooms
2. Type of ACM: Sprayed-on Troweled-on Boiler Lagging
Pipe Insulation Duct Breeching Tank
Other (specify) ACM FITTINGS
3. ACM Previously Identified ACM Newly Identified Basis S A
4. Amount of ACM: 19 sq. ft.
5. Friability: High Moderate Low Non-friable
6. Condition:
Water Damage High Moderate Low None
Physical Damage High Moderate Low None
Additional Comments (provide description) No CHANGES

7. Abatement/Remediation Method (Response Action)
Removal Enclosure Encapsulation
Operation and Maintenance Only
8. Date for Implementation As Soon As Possible
9. Rationale for Abatement/Remediation Method (Response Action) selected:
REFER TO MARCH 1990 AMP

STATE OF CONNECTICUT
Department of Education
BUREAU OF GRANTS PROCESSING
SCHOOL FACILITIES UNIT
P.O. BOX 2219, Hartford, CT 06145

TOWN/REGION NAME New Milford, CT.	FACILITY NAME AND ADDRESS SCHAGTICOKE MIDDLE SCHOOL	DATE OF AMP UPDATE 10-30-90
--------------------------------------	--	--------------------------------

General Instructions

Provide the name of the school district where the facility is located as well as the name and address of the facility. Also indicate the date on which the AMP Update is submitted.

In an area containing more than one type of ACM, a separate Schedule A must be provided for each material. Please number the pages of each Schedule A being submitted in the upper right hand corner.

- Asbestos Containing Area: Building Exterior
- Type of ACM: Sprayed-on___ Troweled-on___ Boiler Lagging___
Pipe Insulation___ Duct___ Breeching___ Tank___
Other (specify) TRANSITE SOFFETS
- ACM Previously Identified ACM Newly Identified___ Basis S___ A___
- Amount of ACM: 1200 sq. ft.
- Friability: High___ Moderate___ Low___ Non-friable___
- Condition:
Water Damage High___ Moderate___ Low___ None___
Physical Damage High___ Moderate___ Low___ None___
Additional Comments (provide description) NO CHANGES

- Abatement/Remediation Method (Response Action)
Removal___ Enclosure___ Encapsulation___
Operation and Maintenance Only___
- Date for Implementation As Soon As Possible
- Rationale for Abatement/Remediation Method (Response Action) selected:
REFER TO MARCH 1990 AMP.

STATE OF CONNECTICUT
Department of Education
BUREAU OF GRANTS PROCESSING
SCHOOL FACILITIES UNIT
P.O. BOX 2210, Hartford, CT 06145

Section 10-292a-7, Regulations
of Connecticut State Agencies
Rev. 10/89

TOWNSHIP NAME New Milford Ct.	FACILITY NAME AND ADDRESS Schaghticoke MIDDLE School	DATE OF AMP UPDATE 10-30-90
----------------------------------	---	--------------------------------

General Instructions

Provide the name of the school district where the facility is located as well as the name and address of the facility. Also indicate the date on which the AMP Update is submitted.

In an area containing more than one type of ACM, a separate Schedule A must be provided for each material. Please number the pages of each Schedule A being submitted in the upper right hand corner.

1. Asbestos Containing Area: Floors Throughout the School
2. Type of ACM: Sprayed-on Troweled-on Boiler Lagging
Pipe Insulation Duct Breeching Tank
Other (specify) VINYL ASBESTOS FLOOR TILE
3. ACM Previously Identified ACM Newly Identified Basis S A
4. Amount of ACM: 56,250 sq. ft.
5. Friability: High Moderate Low Non-friable
6. Condition:
Water Damage High Moderate Low None
Physical Damage High Moderate Low None
Additional Comments (provide description) No Changes

7. Abatement/Remediation Method (Response Action)
Removal Enclosure Encapsulation
Operation and Maintenance Only
8. Date for Implementation AS SOON AS POSSIBLE
9. Rationale for Abatement/Remediation Method (Response Action) selected:
CONTINUE AS PER March 1990 AMP.

PERIODIC SURVEILLANCE REPORT

BUILDING NAME AND LOCATION: Lillis Admin. Bldg 50 East St. New Milford

NAME AND TITLE OF PERSON COMPLETING REPORT: Joseph Vetrano, Environmental Consultant

SURVEILLANCE DATE	LOCATION OF ACBM OR SUSPECTED ACBM AREAS	AREA IDENTIFICATION IN THE MANAGEMENT PLAN	DESCRIPTION OF ACBM OR SUSPECTED ACBM AREAS	DESCRIPTION OF CHANGES IN THE CONDITION OF THE MATERIALS
10-30-90	Throughout Bldg.	C(2)	FLOOR TILE	Basement NONE

SIGNATURE OF PERSON COMPLETING REPORT:

Joseph Vetrano

STATE OF CONNECTICUT
Department of Education
BUREAU OF GRANTS PROCESSING
SCHOOL FACILITIES UNIT
P.O. BOX 2219, Hartford, CT 06145

TOWN/REGION NAME	FACILITY NAME AND ADDRESS	DATE OF AMP UPDATE
NEW MILFORD	LILLIS ADMINISTRATION BLDG. 50 East St. New Milford, Ct. 06770	10-30-90

General Instructions

Provide the name of the school district where the facility is located as well as the name and address of the facility. Also indicate the date on which the AMP Update is submitted.

In an area containing more than one type of ACM, a separate Schedule A must be provided for each material. Please number the pages of each Schedule A being submitted in the upper right hand corner.

- Asbestos Containing Area: Throughout School
- Type of ACM: Sprayed-on___ Troweled-on___ Boiler Lagging___
Pipe Insulation___ Duct___ Breeching___ Tank___
Other (specify) FLOOR TILE
- ACM Previously Identified ACM Newly Identified___ Basis S___ A___
- Amount of ACM: 5800 sq. ft.
- Friability: High___ Moderate___ Low___ Non-friable
- Condition:
Water Damage High___ Moderate___ Low___ None
Physical Damage High___ Moderate___ Low___ None

Additional Comments (provide description) _____

- Abatement/Remediation Method (Response Action)
Removal___ Enclosure___ Encapsulation___
Operation and Maintenance Only
- Date for Implementation AS SOON AS POSSIBLE
- Rationale for Abatement/Remediation Method (Response Action) selected:
AS PER MARCH 1990 AMP.

NEW MILFORD PUBLIC SCHOOLS

50 East Street • New Milford, Connecticut 06776

Stephen C. Tracy, Ed D.
Superintendent of Schools
(203) 355-8406


Thomas A. Mulvihill
Assistant Superintendent
For Instructional Services
(203) 355-9285

Karen McCarthy, Ph.D
Assistant Superintendent
For Management Services
(203) 354-3235

Thomas M. Corbett
Business Manager
(203) 354-8726

*Pettibone
Complete*

To: Joe Vetrano
From: Tom Psomas
Date: October 15, 1990
Re: Attachments



Per your advice, I am sending you the attached copies of letters and forms sent to me by the State.

The August 2, 1990 letter claims we owe the State information so they can approve the Asbestos Management Plan for our Administration Building.

Please note that this request references the 1988 plan and not the current one prepared by EnviroScience.

Nevertheless, as the school district's asbestos management company, I would prefer that EnviroScience complete the forms, review them and send them along for approval to the State. Please forward me a copy when complete.

If you need any other information, we can hopefully provide it at our meeting on Tuesday, October 30, 1990 at 8:00 a.m.

I am looking forward to seeing you then.

Sincerely yours,

Thomas Psomas

Thomas Psomas, Jr.
Director of Environmental
Services

Info Due by 9-1-90



STATE OF CONNECTICUT

DEPARTMENT OF EDUCATION



August 2, 1990

Dr. Stephen C. Tracy
Superintendent of Schools
New Milford Public Schools
50 East Street
New Milford, Connecticut 06776

Dear Dr. Tracy:

Subject: Asbestos Management Plan Update - 1989
Administration Building

The Connecticut Department of Health Services has reviewed the 1989 Asbestos Management Plan Update submitted for the Administration Building. Based upon its review and recommendation, we are informing you that additional documentation is required as noted on the attached form.

In accordance with state regulations, you must submit the requested information within 30 days.

Please be advised that if the school district fails to implement its AMP within the time limits contained in the plan, the State Board of Education may undertake such action as may be authorized by law to cause the local board of education to be in compliance with Section 10-292b of the Connecticut General Statutes and state regulations.

Please call Ronald Skomro of the Department of Health Services at 566-1259 should you have any questions.

Sincerely,

John Coroso, Director/Coordinator
School Facilities Unit
Division of Management and Budget

JC:va
Attachment

5675I-60



STATE OF CONNECTICUT
DEPARTMENT OF HEALTH SERVICES

TO: State Department of Education DATE: July 2, 1990
School Facilities Unit, Room 227
State Office Bldg.
165 Capitol Avenue
Hartford, CT 06106

FROM: Environmental Health Services Section
150 Washington Street
Hartford, CT 06106

SUBJECT: Asbestos Management Plan For: Administration Building
50 East Street
New Milford, CT

DATE PLAN RECEIVED: 4/3/90

CONTACT PERSON: Ronald Skomro

This is to notify you that the recommendation for approval of the Annual Asbestos Management Plan Update submitted for the public school building indicated is delayed for the following reasons.

Previously approved AMP (1988) indicated that asbestos-containing pipe insulation would be removed during 1989. A separate 076A form must be provided for this material indicating a change in abatement method selected.

Further review of this plan update cannot proceed until this necessary information is provided.

Very truly yours,
William Sawicki
William Sawicki, Supervisor
Housing/Institution/Asbestos Program
Environmental Health Section

WS:s1 1322D

(203) 566-1260



44 CODFISH LANE
WESTON, CONNECTICUT 06883
203-226-6970
CT WATS 1-800-843-1631

January 22, 1990

Thomas Psomas
Environmental Services
New Milford Public Schools
Administration Building
50 East Street
New Milford, CT. 06776

Dear Tom:

Enclosed you will find detailed information regarding the 'Operations Records' for the recent Asbestos Abatement Project at the Administration Building.

The 'Project Manual' is considered part of these records. Please attach your copy to these documents and place them in your Asbestos File.

We suggest you keep a copy as a record for the Board of Education.

It was our pleasure to work with you and your competent staff.

Respectfully,

George B. Elliott
George B. Elliott, CSP

ref:Psomas1.90

New Milford Public Schools
Administration Building
50 East Street
New Milford, CT. 06776
Tele: 354-6265

Friday, January 5, 1990
Technician: George B. Elliott
Weather: Cold and Sunny

-- Prepping Only --
Log

Employees

Frank Kriz
Chris Gaboardi
Helio Ramos
Kenneth Sanders
Pavlo Silva

Employees brought in material and commenced moving equipment out of the storage and power room and cleaning AREA. This also included the stairwell area adjacent to the entrance to the power room. Employees proceeded to prep all three areas.

Mechanical

Employees positioned Hepa Vac and D-Con prior to departing. Removal will commence tomorrow.

New Milford Public Schools
Administration Building
50 East Street
New Milford, CT. 06776
Tele: 354-6265

Saturday, January 6, 1990
Technician: George B. Elliott, CSP
Weather: Cold and Cloudy

-- Removal --
Log

Employees

Frank Kriz
Chris D. Gaboardi
Paulo Silva

Employees completed prepping and running electric extension cords for their equipment and then commenced stripping. We did not encounter any problems and operation was completed approximately 4 p.m. Clearance air - samples will be taken Monday, December 8th.

New Milford Public Schools
Administration Building
50 East Street
New Milford, CT. 06776
Tele: 354-6265

Monday, January 8, 1990
Technician: George B. Elliott, CSP
Weather: Sunny and very cold


Clearance Air-Samples

Please refer to new forms dated
January 8th (attached)

Clearance air-samples were taken
to Brooks Laboratory in Weston, CT.
to be analyzed. Results were
favorable as the attached report
indicates.

The insulation of pipes commenced
on Tuesday, January 9th and was
completed on Wednesday, January
10th.

ref:Milford.9



ANALYSIS REPORT

MARGARET Y BROOKS, PH.D.
PRESIDENT
44 CODFISH LANE
WESTON, CONNECTICUT 06883
203-226-6384
CT WATS 1-800-843-1631

ANALYSIS DONE BY

Samuel S. Seltzer

CLIENT: SAFE & SOUND, INC.
ADDRESS: 44 CODFISH LANE, WESTON, CT
PHONE NUMBER: (203)226-2970
BUILDING LOCATION: ADMINISTRATION BUILDING, NEW MILFORD PUBLIC SCHOOLS
DATE OF SAMPLE COLLECTION: 1/8/90
HYGIENIST: GEORGE ELLIOTT
DATE OF ANALYSIS: 1/8/90


FINAL

SAMPLE #	FIBERS/ SAMPLE	FIBERS/ BLANK	FIELDS/ SAMPLE	AIR VOL (LITERS)	DETECTION LIMIT F/CC	FIBERS/ CC
AD010890-1	5	0	100	900	.0027	.0027
AD010890-2	4	0	100	900	.0027	.0022
AD010890-3	3	0	100	900	.0027	.0016
AD010890-4	8	0	100	900	.0027	.0044
AD010890-5	4	0	100	900	.0027	.0022

AIRBORNE FIBER CONCENTRATION

NIOSH METHOD NO. P&CAM 239,7400

PUBLIC HEALTH LABORATORY NO. PH-0539



ANALYSIS REPORT

MARGARET Y. JOKS, PH.D.
PRESIDENT
44 CODFISH LANE
WESTON, CONNECTICUT 06883
203-226-6384
CT WATS 1-800-843-1631

ANALYSIS DONE BY

CLIENT: SAFE & SOUND, INC.
ADDRESS: 44 CODEFISH LANE, WESTON, CT
PHONE NUMBER: (203) 226-2970
BUILDING LOCATION: ADMINISTRATION BUILDING, NEW MILFORD PUBLIC SCHOOLS
DATE OF SAMPLE COLLECTION: 1/6/90
HYGIENIST: GEORGE ELLIOTT
DATE OF ANALYSIS: 1/8/90

SAMPLE #	FIBERS/ SAMPLE	FIBERS/ BLANK	FIELDS/ SAMPLE	AIR VOL (LITERS)	DETECTION LIMIT F/CC	FIBERS/ CC
AD010690-1	10	0	100	900	.0027	.0054
AD010690-2	8	0	100	900	.0027	.0044
AD010690-3	100	0	80	900	.0027	.0681
AD010690-4	15	0	100	900	.0027	.0082
AD010690-5	3	0	100	900	.0027	.0016
AD010690-6	5	0	100	900	.0027	.0027

AIRBORNE FIBER CONCENTRATION

NIOSH METHOD NO. P&CAM 239,7400

PUBLIC HEALTH LABORATORY NO. PH-0539



44 CODFISH LANE
WESTON, CONNECTICUT 06891
203 226 6976
CT WATS 1-800-843-1631

AIR CLEANSING LOG

Asbestos Fiber Analysis
Phase Contrast Microscopy

SITE INFORMATION: Name: <u>New Milford Public Schools</u> Address: <u>Administration Building 50 EAST ST.</u> <u>New Milford, CT. 06776</u> Tel: <u>(203) 354-6265</u>	HYGIENIST INFORMATION: Name: <u>Geo. B. Elliott</u> Date: <u>4/8/90</u>
---	--

SAMPLE INFORMATION:

Protocol: Area (NIOSH 7400) Personal (OSHA ORM)

Purpose: Pre-abatement background
 Abatement monitoring
 Post-abatement clearing

FILTER INFORMATION:

Manufacturer: Millipore
 Size: 25 mm Type: MCE Lot number: F8P119400
 37 mm PC Blank value: 0 f/100 fields

SAMPLE ID	SAMPLE LOCATION OR DESCRIPTION	PUMP ID	FLOW (lpm)	TIME ON	TIME OFF	VOLUME (l)
Ad010890-1	Power Room	02862	15	0800A	0900	900
Ad010890-2	D-CON ENTRANCE	02111	15	0800	0900	900
Ad010890-3	BASEMENT STAIRWELL	08131	15	0800	0900	900
Ad010890-4	STORAGE AREA	03151	15	0800	0900	900
Ad010890-5	SHOWER AREA	03150	15	0800	0900	900

OFFICE INFORMATION:

Client: THOMAS BOMAS ENVIRONMENTAL SERVICES
 Address: ADMINISTRATION BUILDING 9
50 EAST MAIN STREET
NEW MILFORD, CT. 06776
 Send report to: George B. Elliott, CSP



44 CODFISH LANE
WESTON, CONNECTICUT 06893
203-226-6570
CT WATS 1-800-843-1631

AIR-SAMPLING LOG

Asbestos Fiber Analysis
Phase Contrast Microscopy

SITE INFORMATION: Name: <u>New Milford Public Schools</u> Address: <u>Administrational Building, 50 EAST STREET</u> <u>New Milford, CT. 06776</u> Tel: <u>(203) 354-6265</u>	HYGIENIST INFORMATION: Name: <u>Geo. B. Elliott</u> Date: <u>1/6/90</u>
--	---

SAMPLE INFORMATION:

Protocol: Area (NIOSH 7400) Personal (OSHA ORM)

Purpose: Pre-abatement background Abatement monitoring Post-abatement clearing

FILTER INFORMATION:

Size: 25 mm 37 mm Type: MCE PC

Manufacturer: Millipore Lot number: F8P119400

Blank value: 0 f/100 fields

SAMPLE ID	SAMPLE LOCATION OR DESCRIPTION	PUMP ID	FLOW (lpm)	TIME ON	TIME OFF	VOLUME (l)
Ad10690-1	KITCHEN	03151	15	1000 A	1100 A	900
Ad10690-2	HEPA VAC EXHAUST	03131	15	1000	1100	900
Ad10690-3	POWER ROOM	02862	15	1000	1100	900
Ad10690-4	D-CON	02111	15	1000	1100	900
Ad10690-5	GYMNASIUM	03147	15	1000	1100	900
Ad10690-6	OUTSIDE BUILDING	03150	15	1000	1100	900

OFFICE INFORMATION:

Client: THOMAS P. SOMAS ENVIRONMENTAL SERVICES

Address: ADMINISTRATIONAL BUILDING
50 EAST STREET
NEW MILFORD, CT. 06776

Send report to: George B. Elliott, CSP

ED-070
Rev. 10-87
Statutory Ref. Section 10-292a-7
Reg. Conn. State Agencies

BUREAU OF GRANTS PROCESSING
SCHOOL FACILITIES UNIT
P.O. BOX 2016, HARTFORD, CT 06111

Administration Bldg.
150 EAST ST.
06776

SCHOOL DISTRICT: New Milford, CT FACILITY NAME AND ADDRESS: New Milford Public Schools, New Milford, CT DATE OF AMP UPDATE: 1/9/90
General Instructions: tele: (203) 354-6265

Provide the name of the school district where the facility is located as well as the name and address of the facility. Also indicate the date on which the AMP Update is submitted.

Please number the pages of each Schedule B being submitted in the upper right hand corner.

1. Asbestos-Containing Area: Basement Stairwell, Storage Rm. + Elect. Rm.

2. Material(s)

Type	<u>AIR-cell (thermal)</u>	Amount	<u>98 L.F. 12 BAGS</u>
Type	_____	Amount	_____
Type	_____	Amount	_____
Type	_____	Amount	_____
Type	_____	Amount	_____
Type	_____	Amount	_____

3. Name and Address of Abatement Contractor

United Asbestos Abatement Co. INC.
16 Taylor Avenue
Bethel, CT. 06801
Tele: (203) 792-3512

4. Name and Address of School District Project Coordinator

THOMAS P. OMAS, ENVIRONMENTAL SERVICES
Administration Building, 50 EAST STREET
New Milford, CT. 06776
Tele: (203) 354-6265

5. Name and Address of Air Sampling Professional

George B. Elliott, CSP
197 Johnson Street
Torrington, CT. 06790
Tele: (203) 482-5250

6. Air Sampling Clearance Results

Attached X No Clearance Air Samples Collected 3

7. Date of Project Start 1/5/90

8. Date of Project Completion 1/9/90



**INSTITUTE FOR
ENVIRONMENTAL EDUCATION**
Woburn, Massachusetts

This is to certify that

George B. Elliot

has successfully completed
the course

April 13, 1989

Date

89-029-06-103


Certificate Number

April 13, 1990

Expiration Date

**ASBESTOS MANAGEMENT PLANNING
ANNUAL REFRESHER TRAINING**

Director



**INSTITUTE FOR
ENVIRONMENTAL EDUCATION**
Woburn, Massachusetts

This is to certify that

George B. Elliot

has successfully completed
the course

April 13, 1989

Date

89-029-06-304

Certificate Number

April 13, 1990

Expiration Date

**ASBESTOS INSPECTION
ANNUAL REFRESHER TRAINING**

Director

Mystic Air Quality Consultants, Inc.

1081 Buddington Road, Groton, CT 06340

certifies that
HELIO RAMOS
137-21-9842

has successfully completed an intensive course of
instruction including a written examination in

**Asbestos Worker and Supervisor
Refresher Course**

intended to meet the EPA and OSHA training requirements
for a one day worker/supervisor training course.

Course Date: 30 October 1989
Expiration Date: 30 October 1990

Instructor:
Certification #: 208 RAMS



Mystic Air Quality Consultants, Inc.

1081 Buddington Road, Groton, CT 06340

certifies that

PAULO SILVA

252-34-1252

has successfully completed an intensive course of

instruction including a written examination in

**Asbestos Worker and Supervisor
Refresher Course**

intended to meet the EPA and OSHA training requirements

for a one day worker/supervisor training course.

Course Date: 30 October 1989

Expiration Date: 30 October 1990

Instructor:

Philippe Edouard
MS

Certification #: 207R MS