

November 22, 2011

John Calhoun
New Milford Public Schools
50 East St.
New Milford, CT 06776


Dear John:

I have enclosed results for radon testing for your school district. As you can see, the results are below the EPA action level of 4.0 pCi/L. Based on these results, re-testing should take place again in 5 years.

All rooms tested were done under closed conditions, with all windows shut and the HVAC system running under normal school use conditions in accordance with EPA and CT State guidelines.

Please call if you have questions. Thank you for using Environmental Transactions, Inc.

Sincerely,



Louis G. Esposito

New Jersey
Tel: 201-505-1010
Fax: 201-505-0209


Radon Test Result:

New Milford High School
388 Danbury Rd.
New Milford, CT 06776

Test Dates: 11/15/11-11/17/11

| Test ID/T# | Location | Radon(pCi/L) |
|------------|--------------------------------|--------------|
| 770213 | Main Office | 0.5 |
| 770214 | Main Office/Dup | 0.3 |
| 770215 | Room 1112 | 0.5 |
| 770216 | Room 1102 | 0.4 |
| 770217 | Room 1106 | 0.4 |
| 770218 | Room 1411 | 0.2 |
| 770219 | Room 1411/Blank | 0.1 |
| 770220 | Room 1405 | 0.4 |
| 770221 | Room 1304 | 0.1 |
| 770222 | Room 1306 | 0.3 |
| 770223 | Room 1204 | 0.5 |
| 770224 | Room 1312 | 0.3 |
| 770225 | Room 1320 | 0.5 |
| 770226 | Room 1320/Dup | 0.4 |
| 770227 | Room 1508 | 0.5 |
| 770228 | Room 1521 | 0.2 |
| 770229 | Room 1519 | 0.4 |
| 770230 | (0= Basement) Room 1512 | 0.4 |
| 770231 | (1= First Floor) Room 1512/Dup | 0.4 |
| | (2= Higher) | |

 MES10128
 J. Keith Baicker

 MES10115
 J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26:2D-23 requires that no certified person disclose to anyone except the IDEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Radon Test Result:

Schaghticoke Middle School
23 Hipp Rd.
New Milford, CT 06776

Test Dates: 11/15/11 – 11/17/11

| Test ID/T# | Location | Radon(pCi/L) |
|------------|------------------|--------------|
| 770270 | Main Office | 0.5 |
| 770271 | Main Office/Dup | 0.4 |
| 770272 | Principal Office | 0.4 |
| 770273 | Room 79 | 0.6 |
| 770274 | Room 75 | 0.6 |
| 770275 | Room 92 | 0.4 |
| 770276 | Room 92/Blank | 0.0 |
| 770277 | Room 120 | 0.4 |
| 770278 | Room 125 | 0.3 |
| 770279 | Room 149 | 1.1 |
| 770280 | Room 152 | 0.8 |
| 770281 | Room 144 | 0.9 |
| 770282 | Room 144/Dup | 0.4 |
| 770283 | Room 142 | 0.8 |

(0= Basement)
(1= First Floor)
(2= Higher)


J. Keith Baicker MES10128


J. A. Baicker MES10116

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.A.C. 26:2D-7.3 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Radon Test Result:

Sara Noble Intermediate School
25 Sunny Valley Rd.
New Milford, CT 06776

Test Dates: 11/15/11-11/17/11

| Test ID/T# | Location | Radon(pCi/L) |
|------------|-----------------|--------------|
| 770243 | Room 136A | 1.6 |
| 770244 | Room 136 | 0.9 |
| 770245 | Room 131 | 1.7 |
| 770246 | Room 131A | 2.1 |
| 770247 | Main Office | 1.2 |
| 770248 | Main Office/Dup | 1.2 |
| 770249 | Room 123B | 0.6 |
| 770250 | Room 123F | 1.1 |
| 770251 | Room 123G | 0.8 |
| 770252 | Room 123A | 0.7 |
| 770253 | Room 124 | 1.3 |
| 770254 | Room 195 | 0.4 |
| 770255 | Room 195/Blank | 0.0 |
| 770256 | Room 193 | 0.5 |
| 770257 | Room 179 | 1.6 |
| 770258 | Room 179/Dup | 1.2 |

(0= Basement)
(1= First Floor)
(2= Higher)


J. Keith Baicker MES10128


J.A. Baicker MES10116

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY. While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Radon Test Result:

Hill & Plain School
60 Old Town Park Rd.
New Milford, CT 06776

Test Dates: 11/15/11-11/17/11

| Test ID/T# | Location | Radon(pCi/L) |
|------------|-----------------------|--------------|
| 770232 | Main Office Work Room | 1.2 |
| 770233 | Counselor Room Psych | 1.1 |
| 770234 | Copy Room | 0.8 |
| 770235 | Room 10 | 1.4 |
| 770236 | Room 10/Dup | 1.5 |
| 770237 | Room 12 | 1.0 |
| 770238 | Room 11 | 1.1 |
| 770239 | Room 13 | 1.2 |
| 770240 | Room 13/Blank | 0.0 |
| 770241 | Conference Room | 1.1 |
| 770242 | Room 5 | 1.1 |

(0= Basement)
(1= First Floor)
(2= Higher)


J. Keith Baicker MES1012B


J. A. Baicker MES10116

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Radon Test Result:

Northville Elementary School
22 Hipp Rd.
New Milford, CT 06776

Test Dates: 11/15/11-11/17/11

| Test ID/T# | Location | Radon(pCi/L) |
|------------|------------------------|--------------|
| 770284 | Main Office | 0.5 |
| 770285 | Main Office/Dup | 0.5 |
| 770286 | Principal Office | 0.4 |
| 770287 | Principal Office/Blank | 0.1 |
| 770288 | Room 30 | 0.5 |
| 770289 | Room 21 | 0.3 |
| 770290 | Room 10 | 0.8 |
| 770291 | Room 8 | 0.9 |
| 770292 | Room 5 | 1.1 |
| 770293 | Room 5 Office | 1.1 |

(0= Basement)
(1= First Floor)
(2= Higher)

 MES10128
J. Keith Baicker

 MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26:2D-13 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.



RADIATION DATA
 P.O. BOX 150
 SKILLMAN, NJ 08558
 (609) 466-4300
 FAX (609) 466-4302

NJDEP Radon Laboratory License 11912
 NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

**Pettibone School
 2 Pickett District Rd.
 New Milford, CT 06776**

Test Dates: 11/15/11-11/17/11

| Test ID/T# | Location | Radon(pCi/L) |
|------------|---------------|--------------|
| 770259 | Room 33 | 0.6 |
| 770260 | Room 36 | 1.0 |
| 770261 | Room 20 | 1.0 |
| 770262 | Room 20/Dup | 1.1 |
| 770263 | Room 20A | 1.4 |
| 770264 | Room 18 | 0.9 |
| 770265 | Room 13 | 1.0 |
| 770266 | Kiln Room | 0.7 |
| 770267 | Room 7 | 0.5 |
| 770268 | Room 39 | 0.6 |
| 770269 | Room 39/Blank | 0.0 |

(0= Basement)
 (1= First Floor)
 (2= Higher)

 MES10128
 J. Keith Baicker

 MES10116
 J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26-2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.